SOLARCLEAN ROBOTICS

01 | 2025

QLEEN
PURE WATER CLEANING SYSTEMS



PHONE + +353 87 619 4077
PHONE + +353 87 343 0767
EMAIL INFO@SOLARCLEANROBOTICS.IE
WEB WWW.SOLARCLEANROBOTICS.IE

Tried and tested cleaning system for professionals – versatile, cost effective and safe.

For 20 years, QLEEN systems have been used successfully all over the world. QLEEN's easy-connect system modules offer perfect solutions for cleaning glass, building facades, solar systems, vehicles and any number of applications. QLEEN systems are developed on the basis of extensive practical experience, and are manufactured with great precision, offering unbeatable quality and reliability.

Better than clean: QLEEN.

Working with QLEEN is far more efficient than using traditional cleaning processes, because large areas can be cleaned in a significantly more productive and cost-effective manner. Use QLEEN for effortless, safe and reliable cleaning up to a working height of 21 meters, without leaving the ground. No more hire charges and assembly time for scaffolding or work platforms, saving you both time and money. Even delicate surfaces or inaccessible nooks and crannies can be cleaned in a convenient, thorough and careful manner. Thanks to their advanced and ergonomic components, working with QLEEN systems is always smooth and relaxed.

	 **PURASTART Mini & Maxi**	 **PURASTART**	 **PURASTART E**
Operational area	Home	Semi-Professional	Semi-Professional
Filter system	**Mixed bed resin**	**Mixed bed resin**	**Mixed bed resin**
suitable for cleaning	Glass/Lamella, **Solar**	Glass/Lamella, **Solar**	Glass/Lamella, **Solar**
Cleaning capacity per hour	Up to 50 m²	Up to 100 m²	Up to 250 m²
Water supply	Water	Water	Water, **Tank**
Power supply	✕	✕	**Rechargeable battery**
Cleaning modes	**Purewater**	**Purewater**	**Purewater**
Connection for rotating brush ROTAQLEEN	✕	✕	
Remote control for up to 50 m	✕	✕	
Hose	12,5 m robust flexible hose	25 m robust flexible hose	25 m hose

*** Depending on equipment variant.**

Cleaning with the power of pure water.

All QLEEN systems use our tried and trusted PURAQLEEN water treatment technology, which removes all impurities from normal tap water, transforming it into potent, mineral- free, „pure“ water. Because of its ability to combine directly with dirt particles on the surface to be cleaned, „pure“ water cleans rapidly and thoroughly, and runs off immediately.

Surfaces cleaned with QLEEN dry themselves, with no stains or stripes. Cleaning with „pure“ water is ecologically safe, because it can even be done without the use of cleaning additives.

				
RO - Osmoseanlage	**DISY**	**PROFI I**	**PROFI II**	**Q-Station**
Semi-Professional	**Professional**	**Professional**		
Reverse osmosis membrane	**Mixed bed resin**	**Mixed bed resin**		
Glass/Lamella, **Solar**	Glass/Lamella, **Solar**, Facade	Glass/Lamella, **Solar**, Facade		
Up to 250 m²	**Up to 250 m²**	**Up to 250 m²**		
Water	Water, **Tank ***	Water, **Tank**		
Opt. connection	**Opt. connection***	**Rechargeable battery**, **Opt. connection***		
Purewater	**Water**, **Purewater**, Reinigungsmittel*	**Wasser**, **Purewater**, detergent*		
	*			
	*			
25 m hose	**50 m single or 50 m DUO-hose ***	**50 m DUO-hose**		

QLEEN PURE WATER CLEANING SYSTEMS



Video Instructions Spare parts

QLEEN PURASTART		
Mini	Maxi	Mini Complete set
For occasional cleaning of small to medium areas with sustainable Purewater. Carrying handle with integrated meter for Purewater quality. Water supply via the domestic water connection.		
		
Scope of delivery: • QLEEN PURASTART Mini with 12,5 l mixed bed resin	**Scope of delivery:** • QLEEN PURASTART Maxi with 25 l mixed bed resin	**Scope of delivery:** • QLEEN PURASTART Mini basis station (17041) • Telescopic HYBRIDPOLE NoTwist extendable to 450 cm (70551) • Hose-set (72643) • Angle brush glass (71041) with Alu-Crank (72649)
Weight: 15 kg Dimension: 21 x 21 x 58 cm (L x B x H)	Weight: 21 kg Dimension: 21 x 21 x 113 cm (L x B x H)	Weight: 17,0 kg
Art.No. 17041 / Price 389,00	**Art.No.** 17049 / Price 575,00	**Art.No.** 70044 / Price 779,00



Video Instructions Spare parts

QLEEN PURASTART

Base station	Complete set

For occasional cleaning of small to medium-sized areas with sustainable PUREWATER.
Modern manoeuvrable plastic trolley with 25 m flexible hose. Integrated measuring device for purewater quality.
Water supply via the domestic water connection.





Scope of delivery:

- QLEEN PURASTART Base station

Weight: 45 kg
Dimension: 53 x 53 x 110 cm (L x B x H)

Complete set with all accessories consisting of:

- QLEEN PURASTART Basisstation (17042)
- Telescopic CARBONPOLE NoTwist extendable to 9,2 m (70542)
- Vario brush bow (71038) with 40 cm window brush (71001)

Weight: 50 kg
Dimension: 53 x 53 x 110 cm (L x B x H)

Art.No.	Price	Art.No.	Price
17042	1.299,00	**70043**	2.149,00

*** Accessories are not included in the scope of delivery.**

QLEEN PURE WATER CLEANING SYSTEMS



25 l mixed bed resin bottle for 100 percent conversion of tap water into PUREWATER

Manoeuvrable and stable trolley with large wheels for any surface

Water connection via claw coupling, Gardena or supplied suction hose

Compact pump for uniform output pressure at the brush and for suction from a tank or drum



Remote control for controlling the pump and ROTAQLEEN* at a distance of up to 50 m



Charger included
Fast charging in maximum 5 hours



Integrated measuring device for Purewater quality

Powerful Li-Ion battery with 360 Wh, for use up to:

- 8 hours with ROTAQLEEN Classic
- 4 hours with ROTAQLEEN Vario

25 m flexible hose with stopcock

Instructions

Spare parts

*** Accessories are not included in the scope of delivery.**

QLEEN PURASTART E*

Base station

Complete set

For occasional cleaning of small to medium-sized areas with sustainable Purewater.
Modern, maneuverable plastic trolley with 25 m hose. Integrated measuring device for Purewater quality.
With powerful pump for suction operation from the tank or house water connection.
Connection for all current ROTAQLEEN and forward/reverse flow via remote control.





Scope of delivery:

- QLEEN PURASTART E with battery, remote control and charger

Weight: 50 kg
Dimension: 53 x 53 x 110 cm (L x B x H)

Complete set with all accessories consisting of:

- QLEEN PURASTART Base station (72101)
- Telescopic CARBONPOLE NoTwist extendable to 9,2 m (70542)
- Vario brush bow (71037) with 40 cm window brush (71001)

weight: 55 kg

Art.No.	Price	Art.No.	Price
72101	3.395,00	**70063**	4.149,00

Q-Power Akku for PURASTART*



Powerful 360 Wh Li-Ion battery for connecting a ROTAQLEEN.
As a replacement battery for the QLEEN PURASTART E or for retrofitting for the current QLEEN PURASTART.
With remote forward/reverse for the ROTAQLEEN.

Scope of delivery:

- Q-Power battery
- Remote control
- Charger for 110/230 V

Weight: 2,5 kg
Input voltage: 25,4 V
Output current: 360 Wh

	Art.No.	Price
with remote control	**72104**	1.625,00

Charger



Charger for the Q-Power battery. Charging time maximum 5h.

Scope of delivery:

- Charger

Weight: 0,6 kg
Input voltage: 100-240 V
Output current: 3 A

Art.No.	Price
72108	99,00

*** The battery comes with a limited warranty of 6 months.**



Measuring device for water quality
Simple and uniform control and signaling of the operating mode

25 l mixed bed resin bottle for 100 percent conversion of tap water into PUREWATER

Small wheels for horizontal storage in the car



50 m single or DUO hose* on removable hose reel

Water connection via claw coupling, Gardena or supplied suction hose*



With integrated ROTAQLEEN* connection for all current rotating brushes

Powerful pump* for uniform Output pressure at the brush of 2.5 bar and for suction from a tank or drum

Adjustable dosing pump* for admixing cleaning agents for heavily soiled substrates

Video

Instructions

Spare parts



Remote control* for controlling both water channels and ROTAQLEEN* up to 50 m away (In all electric variants)

*Depending on the equipment variant. Picture shows DISY Elektro DUO. Accessories are not included in the scope of delivery.

QLEEN DISY

Single-hose

For regular and professional cleaning of medium to large areas with sustainable Purewater.
For the domestic water connection.



Pure water/water operation with 50 m single hose on hose reel.

Scope of delivery:

- QLEEN DISY base station with single hose

Weight: 72 kg
Dimension: 66 x 66 x 110 cm (L x B x H)

Art.No.	Price
70051	2.799,00

DUO-hose

Pure water/water and cleaning agent operation through the injector with 50 m DUO hose on hose reel.

Scope of delivery:

- QLEEN DISY base station with DUO hose and injector

Weight: 80 kg
Dimension: 66 x 66 x 110 cm (L x B x H)

Art.No.	Price
70052	3.130,00

Qleen DISY Elektro

Single-hose

For regular and professional cleaning of medium to large areas with sustainable Purewater.
With powerful pump for suction operation from the tank or domestic water connection,
Connection for ROTAQLEEN and remote control for switching off the water and controlling the ROTAQLEEN.



Clean water/water operation with 50 m Single hose on hose reel.

Scope of delivery:

- QLEEN DISY Elektro base station with single hose

Weight: 80 kg
Dimension: 66 x 66 x 110 cm (L x B x H)

Art.No.	Price
70053	4.595,00

DUO-hose

Clean water/water and detergent operation using the adjustable dosing pump with 50 m DUO hose on hose reel.

Scope of delivery:

- QLEEN DISY Elektro base station with DUO hose and dosing pump

Weight: 80 kg
Dimension: 66 x 66 x 110 cm (L x B x H)

Art.No.	Price
70054	4.995,00

Complete set



Complete set consisting of:

- QLEEN DISY electric DUO hose base station (70054)
- Pole set for a working height of up to 14.5 m:
  - 5 CARBONPOLE (70500)
  - 3 TITANPOLE (70501)
  - 1 half TITANPOLE (70502)
  - 1 Handle (72571)
  - 1 Adapter brush bow (72516)
  - Vario brush bow (71037) with 40 cm window brush (71001)

Weight: 87,0 kg

Art.No.	Price
70040	7.295,00

QLEEN
PURE WATER CLEANING SYSTEMS

Qleen PROFI I

Single-hose	DUO-hose	Complete set

For regular and professional cleaning of medium to large areas with sustainable Purewater.
With powerful pump for suction operation from the tank or house water connection.
Independent of the power supply thanks to built-in powerful rechargeable batteries and integrated charger.
Connection for ROTAQLEEN and remote control for switching off the water and controlling the ROTAQLEEN.



Clean water/water operation with 50 m Single hose on hose reel.

Scope of delivery:

- QLEEN PROFI I base station with 50 m single hose

Weight: 135 kg
Dimension: 112 x 54 x 112 cm (L x B x H)

Art.No.	Price
70049	6.695,00



Clean water/water and detergent operation using the adjustable dosing pump with 50 m DUO hose on hose reel.

Scope of delivery:

- QLEEN PROFI I base station with 50 m DUO hose and dosing pump

Weight: 135 kg
Dimension: 112 x 54 x 112 cm (L x B x H)

Art.No.	Price
70013	7.495,00



Komplettset bestehend aus:

- QLEEN PROFI I DUO-hose (70013)
- Pole set for a working height of up to 14.5 m:
  - 5 Pole set for a working height of up to 14.5 m: 5 CARBON POLES (70500), 3 TITAN POLES (70501), 1 half TITAN POLE (70502) and transport bag (72508)
  - Vario brush bow (71037) with 40 cm window brush (71001)

Weight: 147,0 kg

Art.No.	Price
70042	9.550,00

Supplementary bottle



Supplementary bottle for the existing bottle holder on the PROFI I & II. Up to 50 % more efficient utilization of the mixed bed resin by using the used bottle beyond 50 µS as a pre-filter for the new bottle.

Scope of delivery:

- Supplementary bottle, granulate, bottle head including mounting accessories

Weight: 30,0 kg

Art.No.	Price
72642	569,00

External power supply PROFI I



Power supply for substructure on the PROFI I. For operation on mains voltage without battery.

Scope of delivery:

- Power supply including connections

Weight: 5,0 kg

Art.No.	Price
72653	359,00

*** Accessories are not included in the scope of delivery.**

25 l mixed bed resin bottle for 100 percent conversion of tap water into Purewater
Expandable with second bottle for doubling total Purewater production*.

Powerful pump* for uniform Output pressure at the brush of 2.5 bar and for suction from a tank or drum



Measuring device for the water quality alarm and shutdown when the mixed bed resin is used up. Simple and uniform control and signaling of the operating mode

Connection for the power supply* (72653) for permanent operation on the mains supply





With integrated ROTAQLEEN* connection for all current rotating brushes

Control valve for the black hose to adjust the total flow rate

50 m DUO hose on hose reel

Water connection via claw coupling, Gardena or supplied suction hose

Powerful batteries for up to 8 hours of continuous work with ROTAQLEEN*
Charger included
Charging time maximum 12h

Adjustable dosing pump for admixing cleaning agents for heavily soiled substrates

Video

Instructions

Spare parts



Remote control* for controlling both water channels and ROTAQLEEN* up to 50 m away (In all electric variants)

QLEEN
PURE WATER CLEANING SYSTEMS

50 m DUO hose on hose reel

Connection for the power supply* (72653) for permanent operation on the mains supply

Powerful pump* for uniform Output pressure at the brush of 2.5 bar and for suction from a tank or drum

Adjustable dosing pump for admixing cleaning agents for heavily soiled surfaces





Measuring device for the water quality alarm and shutdown when the mixed bed resin is used up. Simple and uniform control and signaling of the operating mode

25 l granulate bottle for 100 percent conversion of tap water into PUREWATER



With integrated ROTAQLEEN* connection for all current rotating brushes

Control valve for the black hose to adjust the total flow rate

Water connection via claw coupling, Gardena or supplied suction hose

Powerful batteries for up to 8 hours of continuous work with ROTAQLEEN*
Charger included
Charging time maximum 12h

Instructions

Spare parts



Remote control* for controlling both water channels and ROTAQLEEN* up to 50 m away (In all electric variants)

*** Accessories are not included in the scope of delivery.**

Q-Station

Single-Hose	DUO-Hose
For regular and professional cleaning of medium to large areas with sustainable Purewater. With powerful pump for suction operation from the tank or house water connection. Independent of the power supply thanks to built-in powerful rechargeable batteries and integrated charger. Connection for ROTAQLEEN and remote control for switching off the water and controlling the ROTAQLEEN.	
	
Clean water/water operation with 50 m Single hose on hose reel. **Scope of delivery:** • Q-Station with 50 m single hose Weight: 100 kg Dimension: 73 x 36 x 103 cm (Lx B x H)	Clean water/water and detergent operation using the adjustable dosing pump with 50 m DUO hose on hose reel. **Scope of delivery:** • Q-Station with 50 m DUO hose and dosing pump Weight: 100 kg Dimension: 73 x 36 x 103 cm (Lx B x H)
Art.No. 70055 / Price 5.795,00	**Art.No.** 72669 / Price 6.595,00

Tank

250 l	500/1000 l
Lightweight, stable plastic tank for installation in cars or high-roof vans. With integrated surge protection to prevent strong water movement while driving. Integrated beading on the tank to secure it in the vehicle.	
	
Flat version with 250 l capacity. **Scope of delivery:** • Tank 250 l with connections Weight: 22 kg Dimension: 83 x 110 x 37 cm (L x B x H)	Upright version with 500 l capacity, expandable with 2nd tank to 1000 l. **Scope of delivery:** • Tank 500 l with connections Weight: 34 kg Dimension: 82 x 100 x 96 cm (L x B x H)
Art.No. 72681 / Price 695,00	**Art.No.** 72680 / Price 1.150,00

External power supply Q-Station



Power supply for mounting on the Q-Station. For operation on mains voltage without battery.

Scope of delivery:

- Power supply including connections

Weight: 5,0 kg

Art.No.	Price
72653	359,00

**The alternative to mixed bed resin with reverse osmosis membrane for long running times.
Particularly suitable for tap water with a very high degree of hardness.**



Integrated electronic dry-running protection and built-in water meter

25 m single hose with electronic overpressure cut-off in case of kinked hose

Integrated measuring device for the water quality of the outlet water

With one or two membranes with up to 300 l/h and a running time of 24 months



With integrated ROTAQLEEN connection for all current rotating brushes

Pre-filter for suspended particles and sediments- Replacement necessary after 3 months

Remote control for ON/OFF and forward and return for ROTAQLEEN

Maneuverable and stable trolley with large wheels for any surface

QLEEN RO - **Osmosis system**

For regular and professional cleaning of medium to large areas with sustainable Purewater.
With water timer, electronic dry-running protection and overpressure protection for the pump.
Connection for ROTAQLEEN and remote control for the pump and control of the ROTAQLEEN.

One membrane



Up to 150 liters of Purewater per hour through 25 m of hose

Scope of delivery:

- QLEEN RO with one membrane

Weight: 44 kg
Dimension: 53 x 53 x 100 cm (Lx B x H)

Art.No.	Price
70057	4.995,00

Two membranes



Up to 300 liters of Purewater per hour through 25 m of hose.

Scope of delivery:

- QLEEN RO with two membranes

Weight: 50 kg
Dimension: 53 x 53 x 100 cm (Lx B x H)

Art.No.	Price
70058	5.995,00

QLEEN RO-Osmosis system without ROTAQLEEN control unit



Simple RO system without ROTAQLEEN control unit for filling and cleaning applications.
Up to 150 liters of Purewater per hour through 25 m hose.

Scope of delivery:

- QLEEN RO with one membrane

Weight: 40 kg
Dimension: 53 x 53 x 100 cm (Lx B x H)

Art. No.	Price
70062	3.495,00

Replacement pre-filter for RO osmosis system



The pre-filter for all osmosis systems is for coarse filtering of the input water

This must be replaced a er 3 months at the latest.

Scope of delivery:

- Replacement pre-filter

Weight: 0,02 kg
Dimension: 25 x 6 x 6 cm (L x B x H)

Art.No.	Price
92039	16,84

Replacement membrane for RO osmosis system



Replacement for all osmosis systems with a service life of approx. 24 months.

Scope of delivery:

- Replacement membrane

Weight: 2,2 kg
Dimension: 62 x 11 x 11 cm (L x B x H)

Art.No.	Price
92041	469,00

For unimagined flights of fancy.

Our wide range of poles extends from lightweight telescopic poles to flexible and lightweight segment poles with innovative and fast bayonet locks for easy assembly and disassembly of the segments.
We use super-light and at the same time highly stable carbon for our poles. As a cost-effective alternative, we use a special aluminum alloy.

4,50 m | 6,00 m | 7,60 m | 9,20 m | 12,60 m | 22,02 m

Teleskop HYBRIDPOLE 4,50 m - Art.-No. 70551
Pole material: Glass fibre, carbon
Retracted length: 1,73 m
Stability: ●●●○○
Lightness: ●●●○○



Teleskop HYBRIDPOLE 6,00 m - Art.-No. 70540
Pole material: Glass fibre, carbon
Retracted length: 1,77 m
Stability: ●●●○○
Lightness: ●●●○○



Teleskop HYBRIDPOLE 7,60 m - Art.-No. 70541
Pole material: Glass fibre, carbon
Retracted length: 1,83 m
Stability: ●●●○○
Lightness: ●●●○○



Teleskop CARBONPOLE 9,20 m - Art.-No. 70542
Pole material: Carbon
Retracted length: 1,88 m
Stability: ●●●●○
Lightness: ●●●●●



Teleskop CARBONPOLE 12,6 m - Art.-No. 70543
Pole material: Carbon
Retracted length: 1,99 m
Stability: ●●●●○
Lightness: ●●●●●



TITANPOLE - Art.-No. 70501
Material: Special aluminium alloy
Segment length: 1,63 m
Maximum length: 12,24 m (7 segments + 1 half segment)
Stability: ●●●○○
Lightness: ●●○○○



CARBONPOLE - Art.-No. 70500
Material: Carbon
Segment length: 1,63 m
Maximum length: 22,02 m (13 segments + 1 half segment)
Stability: ●●●●●
Lightness: ●●●●○



Segment poles with bayonet lock



Pole element with innovative bayonet lock for quick and easy assembly and disassembly.
Made from a special aluminum alloy or carbon.
All-rounder - quick and easy to combine with all QLEEN brushes and ROTAQLEEN.

Attention: The adapter brush bow (72516) is required!

Scope of delivery: Titanpole in 1,63 m, 0,83 m or Carbonpole in 1,63 m

	Lenght	Weight in kg	Diameter Handle in mm	Maximum Segments	Material	Art.No.	Price
1.	0,83	**0,47**	42	-	Aluminium	**70502**	104,00
2.	1,63	**0,85**	42	7	Aluminium	**70501**	155,00
3.	1,63	**0,59**	42	13	Carbon	**70500**	345,00

Adapter Brush bow



For QLEEN poles with bayonet lock G4
Ensures a firm and secure connection between QLEEN brush bend and QLEEN poles.

Scope of delivery:
- Adapter, suitable for QLEEN poles (Ø 42 and 50 mm) with bayonet catch G4

Weight: 0,01 kg
Material: Aluminium anodised

	Art.No.	Price
	72516	32,00

Handle



Suitable for CARBON- and TITANPOLE G4

Scope of delivery:
- Handle with wing screw, bayonet lock G4

Weight: 0,02 kg
Material: Aluminium anodised

	Art.No.	Price
	72571	49,00

Solar glide shoe



Tailor-made for solar cleaning, protects sensitive module surfaces during cleaning. Velcro fasteners guarantee a secure connection with the QLEEN Poles.

Scope of delivery:
- Solar glide shoe

Weight: 0,25 kg
Bristle thickness: 0,4 mm
Bristle length: 30 mm
Material: PE, PBT,red

	Art.No.	Price
	72040	52,00

Bag for poles



For safe storage and transportation.
Bag for 14 QLEEN poles and one half pole

Scope of delivery:
- Bag for QLEEN Poles (without poles)

Weight: 0,8 kg
Material: PE

	Art.No.	Price
	72508	69,00

QLEEN PURE WATER CLEANING SYSTEMS

Thanks to the new NoTwist technology, the individual segments can no longer twist, so the brush head remains stable on the cleaning surface without twisting away.
The hose can be routed both inside and outside.



*** The 4.5 m telescopic HYBRIDPOLE is equipped with a 12.5 m flexible hose and a Gardena connection.**

NoTwist telescope HYBRIDPOLE



Telescopic pole made of fibreglass/carbon. The cost-effective and stable telescopic pole with internal hose.
Ideal for longer work assignments, can be combined with all QLEEN brushes, pads, slats and ROTAQLEEN.

Scope of delivery:
- Telescopic pole 4.5 m, 6.0 m or 7.6 m with internal hose, hose clips, adapter for QLEEN brushes

Length extended in m	**Length retracted in m**	Weight in kg	Diameter Handle in mm	Segments	Art.No.	Price
4,50	**1,73**	1,0	30	3	**70551**	279,00
6,00	**1,77**	1,4	34	4	**70540**	429,00
7,60	**1,83**	1,9	38	5	**70541**	549,00

NoTwist Teleskop CARBONPOLE



Telescopic pole made of carbon. Sturdy and lightweight poles for professional use with internal hose.
Ideal for longer work sessions, can be combined with all QLEEN brushes, pads, slats and ROTAQLEEN.

Scope of delivery:
- Telescopic pole 9.2 or 12.6 m with internal hose, hose clips and adapter for QLEEN brushes

Length extended in m	**Length retracted in m**	Weight in kg	Diameter Handle in mm	Segments	Art.No.	Price
9,20	**1,88**	2,2	42	6	**70542**	739,00
12,60	**1,99**	3,4	50	8	**70543**	1049,00

Brush adapter



Brush adapter for the telescopic poles for all QLEEN products or LEWI products.

Scope of delivery:
- QLEEN adapter

Weight: 0,01 kg
Material: anodised

	Art.No.	Price
QLEEN	**72689**	21,00

Clipse



Clips for attaching the hose or cable for the ROTAQLEEN to the telescopic pole.

Scope of delivery:
- Clip set 1-8

Weight: 0,01 kg
Material: PE

	Art.No.	Price
	70533	3,90

Brush width in 40 cm or 60 cm
White extra soft for glass
Red soft spliced for solar
Blue hard for facade

Rounded brush ends for window frame corners and protruding edges



3 power fan nozzles with wide jet angle for connecting the DUO hose



Brush wear is signaled by a black and shorter indicator bristle*

Low weight of 2.2 kg (40 cm) and 2.8 kg (60 cm) for fatigue-free working

2 powerful 24 V motors

Video Instruction Spare part

* Will be introduced for all Classic brushes in the course of the year

ROTAQLEEN Classic

Glass



Ideal for cleaning corners, niches and window frames.

Scope of delivery:

- ROTAQLEEN Classic with white brush (soft)
- 20 m connection cable

Weight 40 / 60: 2,2 / 2,8 kg
Speed: 180 U/min

Width	Art.No.	Price
40 cm	**72000**	1.445,00
60 cm	**72001**	1.585,00

Solar



Ideal for cleaning small and medium-sized solar arrays.

Scope of delivery:

- ROTAQLEEN Classic with red brush (medium hardness)
- 20 m connection cable

Weight 40 / 60: 2,2 / 2,8 kg
Speed: 180 U/min

Width	Art.No.	Price
40 cm	**72004**	1.445,00
60 cm	**72005**	1.585,00

Facade



Ideal for cleaning corners, angles and facade niches.

Scope of delivery:

- ROTAQLEEN Classic mit with blue brush (hard)
- 20 m connection cable

Weight 40 / 60: 2,2 / 2,8 kg
Speed: 180 U/min

Width	Art.No.	Price
40 cm	**72002**	1.445,00
60 cm	**72003**	1.585,00

Driven by two powerful motors located in the brush head.
Including 20 m connection cable.

ROTAQLEEN Classic replacement brush

Glass



The soft and hard-wearing brushes are ideal for glass cleaning.
With indicator bristles for wear.

Scope of delivery:

- Glass brush heads (right and left)

Bristle thickness: 0,3 mm
Bristle length: 30 mm
Material: PE, PBT, white

Width	Art.No.	Price
40 cm	**72006**	150,00
60 cm	**72012**	290,00

Solar



The medium-hard and hard-wearing brushes are ideal for solar cleaning.
With indicator bristles for wear.

Scope of delivery:

- Solar brush heads (right and left)

Bristle thickness: 0,4 mm
Bristle length: 30 mm
Material: PE, PBT, red

Width	Art.No.	Price
40 cm	**72010**	150,00
60 cm	**72016**	290,00

Facade



The hard and durable brushes are ideal for facade cleaning.
With indicator bristles for wear.

Scope of delivery:

- Facade brush heads (right and left)

Bristle thickness: 0,5 mm
Bristle length: 30 mm
Material: PE, PBT, blue

Width	Art.No.	Price
40 cm	**72008**	150,00
60 cm	**72014**	290,00

Patented Vario joint for easy change of direction of the brush by turning the pole system

Powerful 24 V motor
with 150 watt output
Integrated water cooling for long operating times



Stable splash guard
4 or 6 power fan nozzles* with wide spray angle for connecting the DUO hose



Robust and low-maintenance duplex drive chain for power transmission to the brush

Double ball bearing brush drivers

Continuous brush in 50 cm or 75 cm* for large-area cleaning
White extra soft for glass
Red soft for solar
Blue hard for facade

Video

Instruction

Spare parts

* Depending on variant. Picture shows ROTAQLEEN Vario 50 Solar.

ROTAQLEEN Vario

Rotating cleaning power for large areas. Brush width in 50 cm or 75 cm
Precise and easy guidance thanks to patented joint. Powerful, water-cooled motor for continuous use.
Including 20 m connection cable.

Glass



Ideal for glass roofs, glass domes, movable roof glass constructions, aluminium-glass constructions.

Scope of delivery:

- ROTAQLEEN Vario with white brush (soft)
- 20 m connection cable

Weight 50 / 75: 6,5 / 7,6 kg
Speed: 195 U/min

Width	Art.No.	Price
75 cm	**72019**	3.250,00
50 cm	**72021**	3150,00

Solar



Ideal for cleaning large rooftop systems or elevated solar systems.

Scope of delivery:

- ROTAQLEEN Vario with red brush (medium hardness)
- 20 m connection cable

Weight 50 / 75: 6,5 / 7,6 kg
Speed: 195 U/min

Width	Art.No.	Price
75 cm	**72018**	3.250,00
50 cm	**72020**	3.150,00
100 cm	**72055**	3.850,00

Facade



Ideal for cleaning facades.

Scope of delivery:

- ROTAQLEEN Vario mit with blue brush (hard)
- 20 m connection cable

Weight 50 / 75: 6,5 kg
Speed: 195 U/min

Width	Art.No.	Price
50 cm	**72090**	3.150,00

ROTAQLEEN Vario replacement brush

Glass



The soft and hard-wearing brushes are ideal for glass cleaning.

Scope of delivery:

- Glass brush

Bristle thickness: 0,3 mm
Bristle length: 30 mm
Material: PE, PBT, white

Width	Art.No.	Price
50 cm	**72025**	172,00
75 cm	**72023**	250,00

Solar



The medium-hard and hard-wearing brushes are ideal for solar cleaning..

Scope of delivery:

- Solar brush

Bristle thickness: 0,4 mm
Bristle length: 30 mm
Material: PE, PBT, red

Width	Art.No.	Price
50 cm	**72024**	172,00
75 cm	**72022**	250,00
100 cm	**72057**	359,00

Facade



The hard and hard-wearing brushes are ideal for facade cleaning.

Scope of delivery:

- Facade brush

Bristle thickness: 0,5 mm
Bristle length: 30 mm
Material: PE, PBT, blue

Width	Art.No.	Price
50 cm	**72026**	172,00



Adjustable harness system for all body sizes

Padded and durable backpack for long operations

Storage bag for charger and accessories

Forward/reverse circuit in easily accessible position with connection socket for ROTAQLEEN

Two connection sockets for ROTAQLEEN and charger

Powerful Li-Ion battery with 360 Wh, for use up to:
- **8 hours with ROTAQLEEN Classic**
- **4 hours ROTAQLEEN Vario**



Charger included With fast charging in maximum 5 hours

Q-Power backpack system



For fast and flexible cleaning with our ROTAQLEEN system.
Can be used wherever there is no electricity or the surfaces to be cleaned are difficult to access.
Suitable for all current ROTAQLEEN.

Scope of delivery:
- Power backpack system with manual operation for forward/backward motion
- 10 m connection cable for ROTAQLEEN
- Charger for 100-240 V

Weight: 5,5 kg
Dimension: 70 x 80 x 12 cm (L x B x H)

Art.No.	Price
72100	1.495,00

*** We offer a limited warranty of 6 months for the battery.**

Q-Power battery for backpack system*



Powerful 360 Wh Li-Ion battery for connecting a ROTAQLEEN.
As a replacement battery for the Q-Power backpack system.

Scope of delivery:

- Q-Power battery
- Charger for 100-240 V

Weight: 2,5 kg
Output voltage: 25,4 V
Power: 360 Wh

	Art.No.	Price
without remote control	**72102**	995,00

Manual operation for Q-Power battery without remote control



Manual forward/reverse operation for Q-Power battery without remote control (72102).

Scope of delivery:

- Q-Power Manual operation

Weight: 0,5 kg

Art.No.	Price
72103	205,00

Connection cable



Connection cable for ROTAQLEEN to Q-Power battery, in different lengths.

Scope of delivery:

- connecting cable

Weight: 10 / 15 / 20: 1,2 / 1,7 / 2,2 kg

	Art. No.	Price
10 m	**72111**	85,00
15 m	**72112**	92,00
20 m	**72113**	105,00

Backpack



Robust and well padded backpack for durable use.

Scope of delivery:

- Q-Power Backpack

Weight: 0,7 kg

Art.No.	Price
72107	95,00

Charger



Charger for the Q-Power battery. Charging time maximum 5h.

Scope of delivery:

- Charger

Weight: 0,6 kg
Input voltage: 100-240 V
Output current: 3 A

Art.No.	Price
72108	99,00

*** We offer a limited warranty of 6 months for the battery.**

External power supply



Portable power supply for ROTAQLEEN. .
Enables ROTAQLEEN to be used if the QLEEN station used is not electrically equipped or systems from other manufacturers are used.
With manual forward/reverse on the power pack or remote control.

Scope of delivery:

- Power supply with remote control.

Weight: 4,5 kg
Input voltage: 100 - 240 V
Dimensions: 30 x 14 x 14 cm (L x B x H)

	Art.No.	Price
	72078	1199,00

Adapter for third-party systems

Unger nLITE (round)



Adapter for round nLITE poles from Unger. Suitable for all our QLEEN attachments.

The 1st element must be removed.

Scope of delivery:

- Unger Adapter (round)

Weight: 0,02 kg
Material: Aluminium

Art.No.	Price
72587	75,00

Unger nLITE (oval)



Adapter for oval nLITE poles from Unger. Suitable for all our QLEEN attachments.

Scope of delivery:

- Unger Adapter (oval)

Weight: 0,01 kg
Material: Aluminium

Art.No.	Price
72684	75,00

Gardiner



Adapter for telescopic poles. Suitable for all our QLEEN attachments.

The 1st and 2nd element must be removed.

Scope of delivery:

- Gardiner Adapter

Weight: 0,02 kg
Material: Aluminium

Art.No.	Price
72688	87,00

Transport box for ROTAQLEEN

Classic 40/60 cm



Padded box for safe transport of the ROTAQLEEN Classic.

Scope of delivery:

- Transport box for Classic 40/60 cm

Dimension: 64,0 x 43,0 x 15,5 cm (L x B x H)

Art.No.	Price
86728	249,00

Vario 50 cm



Padded box for safe transport of the ROTAQLEEN Vario.

Scope of delivery:

- Transport box for Vario 50 cm

Dimension: 66,5 x 30,0 x 30,0 cm (L x B x H)

Art.No.	Price
88858	249,00

Vario 75 cm



Padded box for safe transport of the ROTAQLEEN Vario.

Scope of delivery:

- Transport box for Vario 75 cm

Dimension: 89,0 x 30,0 x 30,0 cm (L x B x H)

Art.No.	Price
86729	299,00

*Price netto

Adapter for old ROTAQLEEN to current machines

For year of manufacture 01/2014 to 12/2017	For year of manufacture 01/2018 to 12/2022
Plug connection on the ROTAQLEEN	
	
Adapter cable needed	
	
Adapter cable for a 24 V ROTAQLEEN from year of manufacture 01/2014 to 12/2017 for connection to all machines from year of manufacture 01/2023 with push-pull socket. **Scope of delivery:** • Adapter cable Weight: 0,2 kg	Adapter cable for a 24 V ROTAQLEEN from model year 01/2018 to 12/2022 for connection to all machines from model year 01/2023 with push-pull socket. **Scope of delivery:** • Adapter cable Weight: 0,2 kg
Art.No. 72093 / Price 69,00	**Art.No.** 72091 / Price 49,00

Adapter for new ROTAQLEEN to old machines

For year of manufacture 01/2014 - 12/2017	For year of manufacture01/2018 - 12/2022
Socket on the machine	
	
Adapter cable needed	
	
Adapter cable for a current 24 V ROTAQLEEN with push-pull plug for connection to all machines built between 01/2014 and 12/2017. **Scope of delivery:** • Adapter cable Weight: 0,2 kg	Adapter cable for a current 24 V ROTAQLEEN with push-pull plug for connection to all machines built between 01/2018 and 12/2022. **Scope of delivery:** • Adapter cable Weight: 0,2 kg
Art.No. 72094 / Price 59,00	**Art.No.** 72092 / Price 49,00

4 brush holders for all common slat spacings of 50/100 mm, 60 mm, 70 mm and 80 mm

Brush holder and handle together weigh only 1.2 kg for fatigue-free and long working hours

Transport box for quick and easy storage of all lamella cleaner parts















4 power fan nozzles with wide beam angle

Accessories for changing the nozzles Gardena connection for the domestic water connection

Grip piece with stopcock integrated Vario joint for flexible QLEEN pole or LEWI telescopic pole

Video

Instruction

Spare parts

QLEEN
PURE WATER CLEANING SYSTEMS

Complete set



Perfect choice for slat spacing from 50 to 100mm

Complete set consisting of:

- Brush holder for 50/100 cm, 60 cm, 70 cm and 80 cm slat spacing
- Nozzle set with mounting accessories and tools
- Handle with Vario joint and
- Transport box
- Adapter for Unger hose and water connection

Weight: 4,5 kg
Dimensions: 57 x 28 x 28 cm (L x B x H)

	Art. No.	Price
Set	**71500**	895,00*

*With purchase from 3 pcs: 795,00 p. pc.

Brush holder and brush



Perfect choice for slat spacing of 80 mm.

Scope of delivery:

- Brush holder with brushes for 80 mm slat spacing or single brush

Brush diameter: 85 mm
Number of brush holder: 5 brushes

	Art. No.	Price
holder	**71503**	150,00
Brush	**71504**	15,75

Brush holder and brush



Perfect choice for slat spacing of 70 mm.

Scope of delivery:

- Brush holder with brushes for 70 mm slat spacing or single brush

Brush diameter: 75 mm
Number of brush holder: 6 brushes

	Art. No.	Price
holder	**71505**	157,00
Brush	**71506**	15,75

Brush holder and brush



Perfect choice for slat spacing of 60 mm.

Scope of delivery:

- Brush holder with brushes for 60 mm slat spacing or single brush

Brush diameter: 65 mm
Number of brush holder: 6 brushes

	Art. No.	Price
holder	**71507**	157,00
Brush	**71508**	15,75

Brush holder and brush



Perfect choice for slat spacing of 50 mm and 100 mm.

Scope of delivery:

- Brush holder with brushes for 50 and 100 mm slat spacing or single brush

Brush diameter: 55 mm
Number of brush holder: 8 brushes

	Art. No.	Price
holder	**71509**	189,00
Brush	**71510**	15,75

Handle piece for Lamella brush holder

1.



2.

Handle with Vario joint, nozzles for finned brush holder and stopcock.

Scope of delivery:

- Nozzle set (1.)
- Handle with stopcock (2.)

	Art. No.	Price
1.	**71525**	82,00
2.	**71526**	146,00
Set	**71502**	228,00

QLEEN
PURE WATER CLEANING SYSTEMS



Video Instruction Spare parts



QLEEN Indoor System*



Quick cleaning of hard-to-reach surfaces. Streak-free drying due to demineralised water.

Complete professional interior cleaning system with:

Control unit with bag, 5 spare pads with bag, Water tank with bag, joint with pad holder, belt, charger

Weight: 2,9 kg

System without rod! Operation only in conjunction with water telescopic rod for indoor. Below you can choose a suitable rod for yourself:

	Art. No.	Price
	17048	695,00

Water telescopic pole - only for QLEEN Indoor



Proven professional quality.
Allows quick and safe work without twisting.
Perfectly tight and drip-proof.
With built-in push button and cable plug.

Shipped with a forwarding agent:

Material: Aluminium, plastic, PE- Hose

Length / cm	Art. No.	Price
250 (2 x 125)	**17003**	87,00
300 (3 x 100)	**17004**	98,00
400 (4 x 100)	**17005**	109,00
600 (4 x 150)	**17006**	120,00
800 (4 x 200)	**17007**	130,00
1000 (4 x250)	17008	153,00

Padholder*



Pad holder for the QLEEN Indoor System. Stable and durable, quickly replaceable.

Material: Aluminium, PE

	Art. No.	Price
	17009	20,00
1 Piece	**17010**	5,50

*** Image similar.**

Pad*



Replacement pad cover for the QLEEN Indoor System.
Durable, high cleaning power.

Material: Mikrofibre

	Art. No.	Price
	17010	5,50

Watertank with connection



Water tank for the QLEEN Indoor System.
For the use of demineralised water.

	Art. No.	Price
	17011	17,85

Crank



Joint for the QLEEN Indoor System.
Robust, angle individually adjustable. This makes it possible to successfully clean even hard-to-reach areas.

Material: **Aluminium**

	Art. No.	Price
	17012	19,95

Nozzle-holder



Nozzle holder for QLEEN Indoor System.

	Art. No.	Price
	17013	17,85

Nozzle-Set



Nozzle set with hose and connection for the QLEEN Indoor System.

	Art. No.	Price
	17014	14,70

Control unit



Control unit with integrated battery and pump for the QLEEN Indoor System.

	Art. No.	Price
	17015	525,00

Charger*



Charger for the QLEEN Indoor System.

	Art. No.	Price
	17016	86,00

Belt bag



1. for water tank (QLEEN Indoor System).
2. for electrics (QLEEN Indoor System).
3. for pad covers (QLEEN Indoor System).

	Art. No.	Price
1.	**17017**	30,00
2.	**17018**	30,00
3.	**17019**	30,00

*** Image similar.**



Video

Brush bow	
Vario	Aluminium joint
Compatible with the poles and brushes from the QLEEN range. Robust and universally applicable. Perfect for cleaning hard-to-reach object areas.	
	
Joint can be rotated through 180° in 30° steps. Brush holder can be adjusted vertically. 5 power nozzles. **Scope of delivery:** • Brush bow Vario Weight: 0,6 kg Material: Alumimium	Joint can be rotated through 180°. Brush holder can be adjusted vertically. 2 internal power nozzles for optimised flow rate. **Scope of delivery:** • Brush bow aluminium joint Weight: 0,4 kg Material: Alumimium
Art. No. / Price: **71037** / 259,00	**Art. No.** / Price: **71038** / 139,00

Wash brushes

All brushes are suitable for the Vario (71037), aluminium articulated (71038) and special (71039, 71040) brush bend. The brushes are made of robust and durable material and are available in sizes 27, 40 and 60 cm.

Windows



For streak-free glass cleaning.

Scope of delivery:
- Window brush

Bristle thickness: 0,3 mm
Bristle length: 40 mm
Material: PE, Polyester, white

Width	Art.No.	Price
27 cm	**71000**	50,00
40 cm	**71001**	60,00
60 cm	**71002**	85,00

Solar



For perfect solar cleaning.

Scope of delivery:
- Solar brush

Bristle thickness: 0,4 mm
Bristle length: 40 mm
Material: PE, Polyester, red

Width	Art.No.	Price
27 cm	**71006**	50,00
40 cm	**71007**	60,00
60 cm	**71008**	85,00

Facade



For thorough facade cleaning.

Scope of delivery:
- Facade brush

Bristle thickness: 0,5 mm
Bristle length: 40 mm
Material: PE, Polyester, blue

Width	Art.No.	Price
27 cm	**71003**	50,00
40 cm	**71004**	60,00
60 cm	**71005**	85,00

Brush bow special



Compatible with brushes from the QLEEN range.
Perfect for efficient cleaning of bus stops and canopies.
Brush rotates 90°, joint rotates 180° in 30° steps.

Scope of delivery:
- Brush arch with 5 power nozzles and 2 aluminium joint

Weight 60 / 160: 1,0 / 1,2 kg
Material: Alumimium

Length	Art.No.	Price
160 cm	**71039**	349,00
60 cm	**71040**	339,00

Angle brush glass and aluminum joint

1.


2.


Angle brush (1) for easy and thorough glass cleaning.
With 2 internal power nozzles for a better spray pattern with less water flow.
Fits all QLEEN Poles and LEWI telescopic poles in conjunction with the aluminum joint (2).

Scope of delivery:
- Angle brush, bristle thickness 0.25 mm, bristle length 40 mm, incl. nozzles
- Aluminium-joint

Weight 1 / 2: 0,7 / 0,2 kg
Material 1 / 2: PE, PBT, white / Alumimium

	Art. No.	Price
Bürste	**71041**	72,00
Gelenk	**72649**	39,00

Brush bow special

1.
2.


1. Pad holder with Vario joint
For pad or microfiber covers.
2. Pad cover

Scope of delivery:
- Pad holder with 3 power nozzles and aluminium joint
- Pad cover with Velcro fastener (L x W): 45 x 12 cm

Weight 1 / 2: 0,6 / 0,01 kg
Material 1 / 2: Aluminium, plastic, microfibre

	Art.No.	Price
	71027	249,00
	71040	13,00

QLEEN eco *

Sustainable and simple.

A phone call is all it takes. We will then send you a refilled mixed bed resin bottle and a return label. Replace the bottle and pack it in the box. Return label
on the box and our shipping service provider will then take the bottle back.

We return the used mixed bed resin to the recycling process for reuse .

Only avaiable in Germany.



Bottles



1. **bottle for mixed bed resin 25 l**
   incl. screw cap and bottle base
2. **bottle for mixed bed resin 12,5 l**
   incl. screw cap and bottle base
3. **bottle base**
4. **bottle cap**

	Art. No.	Price
1.	**72504**	179,00
2.	**72505**	139,00
3.	**72506**	35,00
4.	**72507**	15,00

Bottle head with tube and filter



1. for QLEEN PROFI I and II, DISY 2nd generation
2. for QLEEN PURASTART and PURASTART MINI
3. for QLEEN PROFI II, DISY 2nd generation until 2021
4. for QLEEN PROFI I until 2021
5. for QLEEN DISY Elektro 2nd generation with venting until 2021

	Art. No.	Price
1.	**72666**	87,00
2.	**72651**	199,00
3.	**72556**	129,00
4.	**72555**	79,00
5.	**72599**	159,00

Mixed bed resin (Granulate)



The proven water treatment technology.
For demineralising tap water.

Scope of delivery:

- Mixed bed resin (Granulate)

Quantity	Art. No.	Price
25 l	**72502**	175,00
12,5 l	**72503**	93,00

*** Only avaiable in Germany**

Single hose



1. Ø 8 mm, maximum 50 m, blue
2. Ø 10 mm, maximum 50 m, blue
3. Ø 10 mm, maximum 50 m, black
4. Ø 9 mm, maximum 100 m, flex,black

Material 1.-3. / 4.: PUR / PVC

	Art.No.	Price
1.	**72677**	3,98*
2.	**72678**	4,49*
3.	**72679**	4,59*
4.	**12106**	2,49*

*Price per m

Duo hose blue/black



1. 50 m, Ø 8 mm for QLEEN PROFI System until Series-No. 1765/0214
2. 50 m, Ø 10 mm for QLEEN PROFI System and DISY from 2022
3. 40 m, Ø 10 mm - for QLEEN DISY until 2022

Material: PUR

	Art. No.	Price
1.	**72512**	299,00
2.	**72514**	279,00
3.	**72595**	228,00

Hose connector



1. hose connector with valve, Ø 8 mm
2. hose connectorwith valve, Ø 10 mm
3. hose connector, Ø 8 mm
4. hose connector, Ø 10 mm
5. hose connector Ø 8 mm up to 10 mm
6. Y- connector, Ø 8 mm
7. Y- connector, Ø 10 mm
8. Y- connector reduce Ø 10 mm to Ø 8 mm

	Art. No.	Price
1.	**72521**	19,00
2.	**72524**	32,00
3.	**72522**	8,00
4.	**72525**	9,00
5.	**92031**	6,00
6.	**72523**	12,00
7.	**72526**	4,50
8.	**72527**	7,50

Hose-Set for PURASTART Mini



For cleaning work with the PURASTART Mini. Very robust and reliable.

Scope of delivery:

- Single hose, Ø 9 mm, length 12.5 m, adapter for bottle head, 6 hose holder clipse

Length	Art. No.	Price
1250 cm	**72643**	55,00

Hose reel



1. Hose reel for DISY
   with fold-down handle and Connections for 50 m DUO hose Ø 10 mm, removable innovating fastening .
2. Hose reel for Profi I- 50 m
   with fold-down handle and Connections for 50 m DUO-hose Ø 10 mm
3. Hose reel for Profi I- 100 m
   with fold-down handle and Connections for 100 m DUO-hose Ø 10 mm
4. Folding handle for hose reel

Scope of delivery:

- Hose reel with connection for Ø 10 mm Hose or fold-down handle

	Art. No.	Price
1.	**72638**	429,00
2.	**72612**	347,00
3.	**72578**	489,00
4.	**72626**	85,00

Handheld meter



Hand-held meter for checking the water quality .

	Art. No.	Price
	72567	33,00

Enzyme cleaner



QLEEN Enzyme Cleaner -
super concentrate 0,5 kg dose,

Can be used wherever large amounts of grease, soot, algae, moss & other organic soiling are a problem.

(1 measuring spoon (5g) to 1 Liter water)

	Art. No.	Price
	72529	75,00

Pole and hose holder for PURASTART Mini/Maxi



Practical pole and hose holder for all PURASTART MINI and MAXI.
For parking the telescopic pole during work breaks.
With hose rewinder for -easy transport.
(Application example on page 36)

	Art. No.	Price
	72685	136,00

Adapter from QLEEN to LEWI



For use of the LEWI range in conjunction with QLEEN poles.

	Art. No.	Price
	72686	24,89

Warning sign



Warning sign "Attention danger of slipping.
with suspension hook

	Art. No.	Price
	72670	11,95

Replacement remote control

For units to 2013	For devices from 2014 up to 2022	For devices from 2023
		
Scope of delivery: • Replacement remote control for devices up to 2013	**Scope of delivery:** • Replacement remote control for devices from 2014 to 2022	**Scope of delivery:** • Replacement remote control for devices from 2023
Art. No. 72553 — Price 129,00	**Art. No.** 72554 — Price 150,00	**Art. No.** 72574 — Price 249,00

Battery and charger QLEEN PROFI systems and QStation

1. 
2. 

1. Battery 12 V, 50 Ah,Gel - for 24 V systems (2 pieces are needed)
2. Fully automatic charger - for systems from 10/2022, input voltage 110V/230V

	Art. No.	Price
1.	72559	359,00*
2.	72561	579,00

* Price for 1 piece

Diaphragm pumps, 150 PSI



1. 24 V for QLEEN DISY Elektro, 2nd Generation
2. 24 V for QLEEN PROFI II
3. 24 V for QLEEN PROFI I
4. 12 V for QLEEN PROFI I

	Art. No.	Price
1.	72623	330,00
2.	72624	330,00
3.	72625	330,00
4.	72607	299,00

Wing screws



1. Wing screw G3, Ø 50 mm
2. Wing screw G4, Ø 50 mm
3. Wing screw G4, Ø 42 mm

	Art. No.	Price
1.	72518	2,95
2.	72519	2,95
3.	72520	3,95

Snap Button



Replacement snap button for all accessories and bars.

	Art. No.	Price
	10787	0,65

Plug-in connections for PVC hose



1. Anodized aluminum water connection for PVC hose
2. Plug nipple for PVC hose
3. Clamp for push-in connection Ø 12.3 mm2

	Art. No.	Price
1.	**84501**	6,89
2.	**72682**	3,15
3.	**72683**	1,65

Nozzle holder



Nozzle holder for brush bow and ROTAQLEEN Classic (without nozzle)

	Art. No.	Price
	72547	29,00

Hose connection for nozzle holder



1. Hose connection with nozzle 0,4 mm
2. Hose connection with nozzle 0,6 mm
3. Hose connection with nozzle 0,8 mm (chemistry)

	Art. No.	Price
1.	**72537**	17,00
2.	**72538**	17,00
3.	**72539**	17,00

Nozzle + O-Ring



1. Nozzle 0,3 mm with O-Ring
2. Nozzle 0,4 mm with O-Ring
3. Nozzle 0,6 mm with O-Ring
4. Nozzle 0,8 mm with O-Ring

	Art. No.	Price
1.	**72598**	12,00
2.	**72541**	12,00
3.	**72540**	12,00
4.	**72542**	12,00

Hose connection for brush holder



1. Hose connection brush 1/8" - Ø 8 mm
2. Connector – socket 1/8”

	Art. No.	Price
1.	**72549**	7,00
2.	**72550**	8,00

Claw lock



1. claw coupling with 1/2" external thread
2. replacement seal for claw coupling 3/4".
3. Cap for GK coupling

	Art. No.	Price
1.	**72543**	6,00
2.	**72544**	3,00
3.	**72545**	6,00

Screw- claw closure and sieve



1. claw coupling screwable with hose nozzle Ø 13 mm
2. replacement seal for claw coupling
3. Sieve for claw coupling
4. claw adapter suitable for Gardena connection

	Art. No.	Price
1.	**72551**	29,00
2.	**72552**	3,00
3.	**72557**	3,00
4.	**72654**	12,00

Hose filter



Hose filter with 10 mm plug connector.
The 40 µm filter filters the remaining mixed bed resin behind the bottle and thus protects solenoid valves and nozzles

	Art. No.	Price
	90053	49,00

All statements without guarantee.
Subject to changes.

All prices (per piece) are subject to VAT.

01 | 2024

PHONE + +353 87 619 4077
PHONE + +353 87 343 0767
EMAIL INFO@SOLARCLEANROBOTICS.IE
WEB WWW.SOLARCLEANROBOTICS.IE